



Jiangmenshi Weiyi Aluminum Co., Ltd.

Address: No. 2, Yucai Road, Weimin Industrial Zone, Hetang town,
Pengjiang District, Jiangmen, Guangdong, China

Website: www.uhuru.cn

Email: info@uhuru.cn

Mobile: +86-134-2220-1470

Tianjin Branch office

Address: No.2 Fuguang Road, Qinguang Town, Beichen District,
Tianjin, China

總公司：江門市維藝鋁業科技有限公司

地址：廣東省江門市蓬江區荷塘鎮為民工業區育才路2號2棟

電話：07503332692

傳真：07503332690

手機號碼：139-0220-9781

天津辦事處

地址：天津市北辰區青光鎮福廣路2號

傳真：022-26960638

電話：138-1981-0099



Precision Aluminum Parts



2020



Catalog

STEM SERIES.....	4-15
HANDLE BAR SERIES.....	16-25
SEAT POST SERIES.....	26-31
SEAT CLAMP SERIES.....	33-35



AS-35

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 35
WIDTH: 70/80/90/100
BACK SWEEP: + /-7°
RISE: 43
FINISH: Sand blasted an bk or silver
N.W./PC: 128g (Ext: 90mm)



HB-35BT

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 35
WIDTH: 620,640,660,680,700,720, 740, 760, 780, 800
BACK SWEEP: 7°
UP SWEEP: 5°
RISE: 15
FINISH: Sand blasted an bk
N.W./PC: 276G (W:720mm)



AS-007N

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 50/60/70/80/90/100/110/120
RISE: + /-7° + /-17° + /-25°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 132G (E:90mm)
 Remarks: 17°and 25°only in ext 60/70 / 80/ 90mm

STEM SERIES



AS-005N

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 50/60/70/80/90/100/110
RISE: + /-7° + /-17°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 132g (E:90mm)
 Remarks: 17°only in ext 60/70 / 80/ 90mm

AS-009N

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 50/ 60 /70 /80 /90 /100
RISE: + /-7° + /-17°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 129G (E:90mm)
 Remarks: 17°only in ext 60/70 / 80/ 90mm



AS-006N

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 25.4
STEERER: Ø 28.6
EXT: 50/60/70/80/90/100/110
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 118G (E:50mm)



AS-008N

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 50/60/70/80/90/100/110
RISE: + /-7° + /-17°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 133G (E:90mm)
 Remarks: 17°only in ext 60/70 / 80/ 90mm



AS-101

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 70/80/90/100
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 150G (E:90mm)



AS-102

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 70/80/90/100
RISE: + /-10°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 146G (E:90mm)



AS-103

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 70/80/90/100
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 128G (E:80mm)



STEM SERIES

AS-13

MATERIAL: 2D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 80
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 171G



X5-AS-108

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
WIDTH: 70/80/90/100
RISE: + /-10°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 150G (Ext:90mm)



X5-AS-109

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
WIDTH: 70/80/90/100
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 150G (Ext:80mm)



AS-1602

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 70/80/90
RISE: + /-7°
HEIGHT: 42
FINISH: Sand blasted an bk
N.W./PC: 175G(Ext:90mm)



AS-106

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 70/80/90/100
RISE: + /-25°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 126G (E:80mm)



AS-2017

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 50/60/70/80/90/100/110
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 141G (E:90mm)



AS-2018

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 50/6070/80/90/100/110
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 143G (E:90mm)



AS-261

MATERIAL: 2D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 60/80
RISE: + /-17°
HEIGHT: 28
FINISH: Sand blasted an bk or silver
N.W./PC: 152G (E:60mm)



AS-264

MATERIAL: AL 6061-T6
BAR BORE: Ø 35 / Ø 31.8
STEERER: Ø 28.6
EXT: 80
RISE: + /-17°
HEIGHT: 32
FINISH: Sand blasted an bk or silver
N.W./PC: 157G (Ø:31.8mm)



AS-263

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 45
RISE: 0°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 125G



AS-266

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 35 / Ø 31.8
STEERER: Ø 28.6
EXT: 50
RISE: 0°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 121G (Ø:35mm)



AS-265

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 60
RISE: 0°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 177G



AS-267

MATERIAL: AL 6061-T6
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 45
RISE: + /-25°
HEIGHT: 30
FINISH: Sand blasted an bk or silver
N.W./PC: 124G



AS-304

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
STEERER: Ø 28.6
EXT: 40
RISE: 0°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 123G



AS-302A

MATERIAL: Die-casting AL body forged cap
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 60/70/80/90/100
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 185G (E:90mm)



AS-301

MATERIAL: Die-casting AL
BAR BORE: Ø 25.4
STEERER: Ø 28.6
EXT: 60/80/90
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 179G (E:90mm)



AS-302

MATERIAL: Die-casting AL
BAR BORE: Ø 31.8
STEERER: Ø 28.6
EXT: 60/70/80/90/100
RISE: + /-7°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 195G (E:90mm)



AS-6026

MATERIAL: Die-casting AL 356.2
BAR BORE: Ø 25.4
STEERER: Ø 28.6
EXT: 90
RISE: + /-7 + /-15°
HEIGHT: 40
FINISH: Sand blasted an bk or silver
N.W./PC: 211G



AS-6027

MATERIAL: Die-casting AL 356.2
BAR BORE: Ø 25.4
STEERER: Ø 28.6
EXT: 70
RISE: + /-25°
HEIGHT: 44
FINISH: Sand blasted an bk or silver
N.W./PC: 192G



AS-305

MATERIAL: Die-casting AL 356.2
BAR BORE: Ø22.2 / 25.4
STEERER: Ø 28.6
EXT: 50
RISE: 0°
HEIGHT: 35
FINISH: Sand blasted an bk
N.W./PC: 323G

STEM SERIES



AS-271

MATERIAL: 3D forged AL 6061-T6
BAR BORE: Ø 25.4 Ø 31.8
STEERER: Ø 28.6
EXT: 75/105/125
RISE: 0-60°
HEIGHT: 41
FINISH: Sand blasted an bk or silver
N.W./PC: 263G (E:105mm)



AS-273

MATERIAL: Die-casting AL 356.2
BAR BORE: Ø 25.4
EXT: 90/110
RISE: 0 ~ 60°
LENGTH: 150 ~ 180
FINISH: BED/High polished silver
N.W./PC: 465G (E:90mm)



AS-272

MATERIAL: Die-casting AL 356.2
BAR BORE: Ø 25.4
STEERER: Ø 28.6
EX: 105/125
RISE: 0 ~ 60°
HEIGHT: 41
FINISH: BED/High polished silver
N.W./PC: 372G (E:125mm)



AS-268

MATERIAL: Die-casting AL 356.2
BAR BORE: Ø 25.4
EXT: 60/80
RISE: 40°
LENGTH: 150-180
FINISH: BED/High polished silver
N.W./PC: 430G (E:60mm)



AS-269

MATERIAL: Die-casting AL 356.2/Steel or sus
BAR BORE: Ø 22.2 Ø 25.4
EXT: 40
RISE: 30°
LENGTH: 150/180/220
FINISH: BED/High polished silver
N.W./PC: 352G



AS-270

MATERIAL: Die-casting AL 356.2
BAR BORE: Ø 22.2 Ø 25.4
EXT: 80/100
RISE: -17°
LENGTH: 150
FINISH: BED/High polished silver
N.W./PC: 312G





HB-301BT

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 380, 400, 420, 440
REACH: 75
DROP: 120
FINISH: Sand blasted an bk
N.W./PC: 303G (W:400mm)



HB-302

MATERIAL: AL 6061-T6
BAR BORE: Ø 31.8
WIDTH: 380, 400, 420, 440
REACH: 75
DROP: 120
FINISH: Sand blasted an bk
N.W./PC: 380G (W:420mm)



HB-303BT/P.G

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 380, 400, 420, 440
REACH: 75
DROP: 125
FINISH: Sand blasted an bk
N.W./PC: 382G (W:420mm)

HANDLE BAR SERIES



HB-304P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 380, 400, 420
REACH: 75
DROP: 125
FINISH: Sand blasted an bk
N.W./PC: 340G (420mm)



HB-305P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 380, 400, 420
REACH: 65
DROP: 115
FINISH: High Polished Anodized Black or Silver
N.W./PC: 332G (W:420mm)

HB-306BT

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 380, 400, 420, 440
REACH: 90
DROP: 140
FINISH: Sand blasted an bk
N.W./PC: 316G (W:440mm)



HB-21BT/P.G

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720,740, 760, 780, 800
BACK SWEEP: 5° 9°
UP SWEEP: 0°
RISE: 0
FINISH: Sand blasted an bk
N.W./PC: 230G (W:720mm)



HB-105BT/P.G

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720, 740, 760, 780, 800
BACK SWEEP: 9°
UP SWEEP: 0°
RISE: 5
FINISH: Sand blasted an bk
N.W./PC: 243G (W:720mm)



X5HB-106BT

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700,720, 740, 760, 780, 800
BACK SWEEP: 5° 9°
UP SWEEP: 0°
RISE: 0
FINISH: Sand blasted an bk
N.W./PC: 220G(W:680mm)



HANDLE BAR SERIES

HB-11BT/P.G

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720, 740, 760, 780, 800
BACK SWEEP: 7°
UP SWEEP: 4°
HEIGHT: 12
FINISH: Sand blasted an bk
N.W./PC: 228G (W:680mm)



HB-12BT/P.G

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720, 740, 760, 780, 800
BACK SWEEP: 9°
UP SWEEP: 5°
HEIGHT: 15
FINISH: Sand blasted an bk
N.W./PC: 236G (W:740mm)



HB-201BT/P.G

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720, 740, 760, 780, 800
BACK SWEEP: 7°
UP SWEEP: 5°
HEIGHT: 25
FINISH: Sand blasted an bk
N.W./PC: 230G (W:720mm)



HB-335BT/P.G

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720, 740, 760, 780, 800
BACK SWEEP: 7°
UP SWEEP: 5°
RISE: 35
FINISH: Sand blasted an bk
N.W./PC: 239G (W:740mm)



HB-345BT/P.G

MATERIAL: AL 6061-T6 butted
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720, 740, 760, 780, 800
BACK SWEEP: 7°
UP SWEEP: 5°
RISE: 45
FINISH: Sand blasted an bk
N.W./PC: 275G (W:800mm)



HB-360BT/P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720, 740, 760, 780, 800
BACK SWEEP: 7°
UP SWEEP: 5°
RISE: 60
FINISH: Sand blasted an bk
N.W./PC: 298G (W:720mm)



HANDLE BAR SERIES



STEM SERIES

HANDLE BAR SERIES

SEAT POST SERIES

SEAT CLAMP SERIES

HB-380BT/P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 31.8
WIDTH: 620, 640, 660, 680, 700, 720, 740, 760, 780, 800
BACK SWEEP: 7°
UP SWEEP: 5°
RISE: 80
FINISH: Sand blasted an bk
N.W./PC: 318G (W:720mm)



HB-064P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 580/600/610
HEIGHT: 85
FINISH: Sand blasted an bk
N.W./PC: 271G(W: 580mm)



HB-065P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 580/600/610
HEIGHT: 110
FINISH: Sand blasted an bk
N.W./PC: 297G (W: 600mm)



HB-066P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 580, 600, 610
RISE: 26
FINISH: High Polished Anodized Black or Silver
N.W./PC: 271G(W:580mm)



HB-503P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 440
FINISH: Sand blasted an bk
N.W./PC: 273G



HANDLE BAR SERIES



HB-068P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 580/610
BACK SWEEP: 44°
RISE: 66
FINISH: High Polished Anodized Black or Silver
N.W./PC: 299G(580mm)



HB-069P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 560/580/600
RISE: 70
FINISH: Sand blasted an bk
N.W./PC: 443G(580mm)



HB-070P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 380/400/420/440
REACH: 115
DROP: 165
FINISH: Sand blasted Anodized Black or silver
N.W./PC: 290G(400mm)



HB-401P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 380,400,420, 500, 540, 560, 580, 600, 620, 640, 660, 680
BACK SWEEP: 0°
UP SWEEP: 5°
RISE: 0
FINISH: Sand blasted an bk
N.W./PC: 193G (W:580mm)



HB-502P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 420, 500, 540, 560, 580, 620
BACK SWEEP: 7°
UP SWEEP: 5°
RISE: 60
FINISH: Sand blasted an bk
N.W./PC: 270G (W:560mm)



HB-501P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 25.4
WIDTH: 380,400,420, 500, 540, 560, 580, 600, 620, 640, 660, 680
BACK SWEEP: 7°
UP SWEEP: 4°
RISE: 20
FINISH: Sand blasted an bk
N.W./PC: 235G (W:620mm)



TP-305P.G

MATERIAL: AL 6061-T6
BAR BORE: Ø 28.6
WIDTH: 360, 380, 420
BACK SWEEP: 5°
UP SWEEP: 0°
RISE: 0
FINISH: Sand blasted an bk
N.W./PC: 222G(W:360mm)

SEAT POST SERIES



SP-380

MATERIAL: 2D Forged head AL 6061-T6,
Suspension seatpost
BAR BORE: Ø30.4 Ø30.6 Ø30.8 Ø30.9 Ø31.6
OFF SET: 45
LENGTH: 300, 350
FINISH: SBK-SCP
N.W./PC: 493G (Ø31.6 *350L)



SP-725

MATERIAL: 3D Forged AL 6061-T6
BAR BORE: Ø27.2 Ø28.6 Ø30.4 Ø30.6
Ø30.8 Ø30.9 Ø31.6 Ø35
OFF SET: 0
LENGTH: 200,250,300, 350, 400
FINISH: SBK-SCP
N.W./PC: 333G (Ø31.6 *400L)



SP-726

MATERIAL: 3D Forged AL 6061-T6
BAR BORE: Ø27.2 Ø28.6 Ø30.4 Ø30.6 Ø30.8
Ø30.9 Ø31.6
OFF SET: 15
LENGTH: 200,250,300, 350, 400
FINISH: SBK-SCP
N.W./PC: 328G (Ø31.6*400L)



SP-727

MATERIAL: 3D Forged AL 6061-T6
BAR BORE: Ø30.4 Ø30.6 Ø30.8 Ø30.9 Ø31.6
OFF SET: 15
LENGTH: 200,250,300, 350, 400
FINISH: SBK-SCP
N.W./PC: 283G (Ø31.6 *350L)



SP-729

MATERIAL: 2D Forged AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6
Ø30.4 Ø30.6 Ø30.8 Ø30.9 Ø31.6
OFF SET: 15
LENGTH: 200,250,300, 350, 400
FINISH: SBK-SCP
N.W./PC: 318G (Ø31.6 *350)



X5-SP-102

MATERIAL: 2D Forged AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6 Ø30.4
Ø30.6 Ø30.8 Ø30.9 Ø31.6 Ø33.9
OFF SET: 20
LENGTH: 350(200, 250, 300, 350, 400,550,580)
FINISH: SBK-SCP
N.W./PC: 306G (Ø31.6 *350L)



STEM SERIES

HANDLE BAR SERIES

SEAT POST SERIES

SEAT CLAMP SERIES

SEAT POST SERIES



SP-DCI

MATERIAL: AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6 Ø30.4
Ø30.6 Ø30.8 Ø30.9 Ø31.6 Ø33.9
OFF SET: 0
LENGTH: 200,250,300, 350, 400, 550, 580, 650
FINISH: SBK-SCP
N.W./PC: 228G (Ø31.6 *350L)



SP-609

MATERIAL: Die-casting AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6
Ø30.4 Ø30.6 Ø30.8 Ø30.9 Ø31.6
OFF SET: 15
LENGTH: 200,250,300, 350, 400
FINISH: SBK-SCP
N.W./PC: 341G (Ø31.6 *350)



SP-610

MATERIAL: Forged AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6
Ø30.4 Ø30.6 Ø30.8 Ø30.9 Ø31.6
OFF SET: 15
LENGTH: 200, 250, 300, 350, 400
FINISH: SBK-SCP
N.W./PC: 328G (Ø31.6 *350)



SP-105

MATERIAL: Forged AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6 Ø30.4
Ø30.6 Ø30.8 Ø30.9 Ø31.6 Ø33.9
OFF SET: 15
LENGTH: 200,250,300, 350, 400,550,580,650
FINISH: SBK-SCP
N.W./PC: 326G (Ø31.6 *350L)



SP-710

MATERIAL: Die-casting AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6
Ø30.4 Ø30.6 Ø30.8 Ø30.9 Ø31.6
OFF SET: 15
LENGTH: 200,250,300, 350, 400
FINISH: SBK-SCP
N.W./PC: 337G (Ø31.6 *350L)



SP-711

MATERIAL: Die-casting AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6
Ø30.4 Ø30.6 Ø30.8 Ø30.9 Ø31.6
OFF SET: 15
LENGTH: 200,250,300, 350, 400
FINISH: SBK-SCP
N.W./PC: 380G(Ø31.6 *350L)



SEAT POST SERIES



SP-368

MATERIAL: 2D Forged AL 6061-T6
BAR BORE: Ø27.2 Ø28.6 Ø30.4 Ø30.6 Ø30.8
Ø30.9 Ø31.6 Ø33.9
OFF SET: 0
LENGTH: 200,250,300, 350, 400, 550, 580, 650
FINISH: SBK-SCP
N.W./PC: 333G (Ø31.6 *400L)



X9-SP-901

MATERIAL: 2D forged head 6061 T6, Carbon shaft
BAR BORE: Ø27.2 Ø31.6
OFF SET: 20
LENGTH: 300, 350, 400
FINISH: 3K, UD
N.W./PC: 280G (Ø31.6 *350L)



SP-109

MATERIAL: 2D Forged AL 6061-T6
OFF SET: 20
LENGTH: 300, 350, 400, 580
FINISH: SBK-SCP
N.W./PC: 341G (300L)



SP-712

MATERIAL: AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6
Ø30.4 Ø30.6 Ø30.8 Ø30.9 Ø31.6
OFF SET: 15
LENGTH: 200,250,300, 350, 400
FINISH: SBK-SCP
N.W./PC: 307G (Ø31.6 *350L)



SP-302

MATERIAL: AL 6061-T6
BAR BORE: Ø25.4 Ø26.8 Ø27.2 Ø28.6
Ø30.4 Ø30.6 Ø30.8 Ø30.9
Ø31.6 Ø31.8 Ø33.9
OFF SET: 0
LENGTH: 200,250,300, 350, 400,520,550
FINISH: SBK-SCP
N.W./PC: 173G (Ø31.6 *350L)



SP-302A

STEM SERIES

HANDLE BAR SERIES

SEAT POST SERIES

SEAT CLAMP SERIES

SEAT CLAMP SERIES

BE-316

MATERIAL: Die-casting AL 6061-T6
BAR BORE: Ø 22.2
WIDTH: 80
FINISH: Black
N.W./PC: 127.4G



BE-317

MATERIAL: Die-casting AL 6061-T6
BAR BORE: Ø 22.2
WIDTH: 110
FINISH: Black
N.W./PC: 175G



MA-005

AL6061-T6
N.W./PC: 60G



YX-049 ALLOY

Diameter: Ø 31.8x15mm
 Ø 35.0x15mm
FENISH: SBK-SCP
N.W./PC: 38.6G (Ø 35.0x15mm)



YX-050 ALLOY

Diameter: Ø 31.8x15mm
 Ø 35.0x15mm
FENISH: SBK-SCP
N.W./PC: 42G (Ø 35.0x15mm)



SH-01

AL6061-T6
 Ø28.6x124mm/138mm
FINISH: SBK-SCP
N.W./PC: 190G / 200G



PD-01

AL6061-T6 38x110mm
N.W./PC: 10G



PD-02

AL6061-T6 50x110mm
N.W./PC: 15G



YX-051F ALLOY

Diameter: Ø 31.8x15mm
 Ø 35.0x15mm
FENISH: SBK-SCP
N.W./PC: 45.8G (Ø 35.0x15mm)



YX-052 ALLOY

Diameter: Ø 31.8x15mm
 Ø 35.0x15mm
FENISH: SBK-SCP
N.W./PC: 41.6G (Ø 31.8x15mm)



SEAT CLAMP SERIES

YX-053F-D ALLOY

Diameter: Ø 40x20mm
Ø 41x25mm
FENISH: SBK-SCP
N.W./PC:63.8G (Ø 40x20mm)



YX-057

ALLOYDiameter: Ø 31.8x15mm
Ø 35.0x15mm
FENISH: SBK-SCP
N.W./PC:54.2G (Ø 35.0x15mm)



YX-055D ALLOY

Diameter: Ø 31.8x15mm
Ø 35.0x15mm
FENISH: SBK-SCP
N.W./PC:54.3G (Ø 35.0x15mm)



YX-058 ALLOY

Diameter: Ø 31.8x15mm
Ø 35.0x15mm
FENISH: SBK-SCP
N.W./PC:30.8G (Ø 35.0x15mm)



YX-059

Diameter: Ø 25.4x 13mm
Ø 28.6x13mm
Ø 31.8x13mm
Ø 35.0x13mm
FENISH: SBK-SCP
N.W./PC:24.8G (Ø 35.0x13mm)



YX-060

Diameter: Ø 25.4x 13mm
Ø 28.6x13mm
Ø 31.8x13mm
Ø 35.0x13mm
FENISH: SBK-SCP
N.W./PC:23.9G (Ø 28.6x13mm)



YX-109

FENISH: SBK-SCP
N.W./PC:70.4G



YX-02

AL6061-T6
BARBORE: Ø28.75 x Ø36 / Ø25.45 x Ø31.8 /
Ø28.6 x Ø34 / Ø25.4 x Ø28.6/ Ø28.6 x Ø31.8
LENGTH: 3/ 5 /10 / 15
FENISH: Sand blasted anodized black/ Silver
N.W./PC:6.5G (10MM Ø28.75 x Ø36)



YX-03

AL6061-T6
BARBORE: M6 M8
LENGTH: 45/ 50 / 55 / 60
FENISH: Barreled anodized colors
N.W./PC:38.7G(60MM)




YX-04


AL6061-T6
BARBORE: M6 M8
LENGTH: 45/ 50 / 55 / 60
FENISH: Barreled anodized colors
N.W./PC:38.6G (60MM)




ROAD HANDLE BAR




RISE HANDLE BAR




SEAT POST



FLAT HANDLE BAR



STEM





Page	Model	QYT/CTN(PCS)	CBM/CTN	N.W./CTN (KGS)	G.W./CTN (KGS)	N.W./PC (KGS)
4	AS-35	100	0.035 (E:90mm)	12.8	13.8	0.128
4	HB-35BT	50	0.050 (W:720mm)	13.8	14.8	0.276
5	AS-007N	100	0.035 (E:90mm)	13.2	14.2	0.132
6	AS-005N	100	0.035 (E:90mm)	13.2	14.2	0.132
6	AS-006N	100	0.035 (E:50mm)	11.8	12.8	0.118
6	AS-008N	100	0.035 (E:90mm)	13.3	14.3	0.133
6	AS-009N	100	0.035 (E:90mm)	12.9	13.9	0.129
7	AS-101	100	0.035 (E:90mm)	15	16	0.150
7	AS-102	100	0.035 (E:90mm)	14.6	15.6	0.146
7	AS-103	100	0.035 (E:80mm)	12.8	13.8	0.128
8	AS-13	100	0.035 (E:80mm)	17.1	18.1	0.171
8	AS-1602	100	0.035 (E:90mm)	17.5	18.5	0.175
8	X5-AS-108	100	0.035 (E:90mm)	15	16	0.150
8	X5-AS-109	100	0.035 (E:80mm)	15	16	0.150
9	AS-106	100	0.035 (E:80mm)	12.6	13.6	0.126
9	AS-2017	100	0.035 (E:90mm)	14.1	15.1	0.141
9	AS-2018	100	0.035 (E:90mm)	14.3	15.3	0.143
10	AS-261	100	0.035 (E:60mm)	15.2	16.2	0.152
10	AS-263	100	0.035 (E:45mm)	12.5	13.5	0.125
10	AS-264	100	0.035 (E:80mm)	15.7	16.7	0.157
10	AS-266	100	0.035 (E:50mm)	12.1	13.1	0.121
11	AS-265	100	0.035 (E:60mm)	17.7	18.7	0.177
11	AS-267	100	0.035 (E:45mm)	12.4	13.4	0.124
11	AS-304	100	0.035 (E:40mm)	12.3	13.3	0.123
12	AS-302A	100	0.035 (E:90mm)	18.5	19.5	0.185
12	AS-302	100	0.035 (E:90mm)	19.5	20.5	0.195
12	AS-301	100	0.035 (E:90mm)	17.9	18.9	0.179

Page	Model	QYT/CTN(PCS)	CBM/CTN	N.W./CTN (KGS)	G.W./CTN (KGS)	N.W./PC (KGS)
13	AS-6026	100	0.035 (E:90mm)	21.1	22.1	0.211
13	AS-6027	100	0.035 (E:70mm)	19.2	20.2	0.192
13	AS-305	100	0.03 (E:50mm)	32.3	33.3	0.323
14	AS-271	100	0.035 (E:105mm)	26.3	27.3	0.263
14	AS-272	100	0.035 (E:125mm)	37.2	38.2	0.372
14	AS-273	100	0.035 (E:90mm)	46.5	47.5	0.465
14	AS-268	100	0.035 (E:60mm)	43	44	0.430
15	AS-269	100	0.035 (E:40mm)	35.2	36.2	0.352
15	AS-270	100	0.035 (E:80mm)	31.2	32.2	0.312
17	HB-301BT	30	0.072 (W:400mm)	9.09	10.09	0.303
17	HB-302	30	0.072 (W:420mm)	11.4	12.4	0.380
17	HB-303BT	30	0.072 (W:420mm)	11.46	12.46	0.382
18	HB-304	30	0.072 (W:420mm)	10.2	11.2	0.340
18	HB-305	30	0.072 (W:420mm)	9.96	10.96	0.332
18	HB-306BT	30	0.072 (W:440mm)	9.48	10.48	0.316
19	HB-21BT	50	0.050 (W:720mm)	11.5	12.5	0.230
19	HB-105BT	50	0.050 (W:720mm)	12.15	13.15	0.243
19	X5 HB-106BT	50	0.050 (W:680mm)	11	12	0.220
20	HB-11BT	50	0.050 (W:680mm)	11.4	12.4	0.228
20	HB-12BT	50	0.050 (W:740mm)	11.8	12.8	0.236
20	HB-201BT	50	0.050 (W:720mm)	11.5	12.5	0.230
21	HB-335BT	50	0.050 (W:740mm)	11.95	12.95	0.239
21	HB-345BT	50	0.050 (W:800mm)	13.75	14.75	0.275
21	HB-360	50	0.050 (W:720mm)	14.9	15.9	0.298
22	HB-380	50	0.050 (W:720mm)	15.9	16.9	0.318
22	HB-064	50	0.072 (W:580mm)	13.55	14.55	0.271
23	HB-065	50	0.072 (W:600mm)	14.85	15.85	0.297

Page	Model	QYT/CTN(PCS)	CBM/CTN	N.W./CTN (KGS)	G.W./CTN (KGS)	N.W./PC (KGS)
23	HB-066	50	0.072 (W:580mm)	13.55	14.55	0.271
23	HB-503	50	0.050 (W:440mm)	13.65	14.65	0.273
24	HB-068	50	0.072 (W:580mm)	14.95	15.95	0.299
24	HB-069	30	0.072 (W:580mm)	13.29	14.29	0.443
24	HB-070	30	0.072 (W:400mm)	8.7	9.7	0.290
25	HB-401	50	0.050 (W:580mm)	9.65	10.65	0.193
25	HB-501	50	0.050 (W:620mm)	11.75	12.75	0.235
25	HB-502	50	0.050 (W:560mm)	13.5	14.5	0.270
25	TP-305	50	0.035 (W:360mm)	11.1	12.1	0.222
26	SP-380	50	0.035 (Ø31.6*350mm)	24.65	25.65	0.493
26	SP-725	50	0.035 (Ø31.6*400mm)	16.65	17.65	0.333
26	SP-726	50	0.035 (Ø31.6*400mm)	16.4	17.4	0.328
27	SP-727	50	0.035 (Ø31.6*350mm)	14.15	15.15	0.283
27	SP-729	50	0.035 (Ø31.6*350mm)	15.9	16.9	0.318
27	X5-SP-102	50	0.035 (Ø31.6*350mm)	15.3	16.3	0.306
28	SP-DC1	50	0.035 (Ø31.6*350mm)	11.4	12.4	0.228
28	SP-609	50	0.035 (Ø31.6*350mm)	17.05	18.05	0.341
28	SP-610	50	0.035 (Ø31.6*350mm)	16.4	17.4	0.328
29	SP-105	50	0.035 (Ø31.6*350mm)	16.3	17.3	0.326
29	SP-710	50	0.035 (Ø31.6*350mm)	16.85	17.85	0.337
29	SP-711	50	0.035 (Ø31.6*350mm)	19	20	0.380
30	SP-368	50	0.036 (Ø31.6*400mm)	16.65	17.65	0.333
30	X9-SP-901	50	0.036 (Ø31.6*350mm)	14	15	0.280
30	SP-109	50	0.035 (300mm)	17.05	18.05	0.341
31	SP-712	50	0.035 (Ø31.6*350mm)	15.35	16.35	0.307
31	SP-302	100	0.035 (Ø31.6*350mm)	17.3	18.3	0.173

STEM SERIES

HANDLE BAR SERIES

SEAT POST SERIES

SEAT CLAMP SERIES

NO.	FINISH	DESCRIPTION	表面處理
1	BARREL	Barrel	震動打亮
2	B.A.S	Barrel Anodized Silver	水磨陽極本色
3	BED	Electric-Deposit Black	電著黑
4	MCF	Matt Carbon Finish	碳纖消光本色
5	GCF	Glossy Carbon Finish	碳纖亮光本色
6	CP	Chrome-Plating	電鍍
7	D.SF	Dry Satin Finish	電鍍粉體 SF
8	H.A.BK	Hi-Polish Anodized Black	麻輪陽極黑色
9	H.A.BL	Hi-Polish Anodized Blue	麻輪陽極藍色
10	H.A.P	Hi-Polish Anodized Purple	麻輪陽極紫色
11	H.A.RD	Hi-Polish Anodized Red	麻輪陽極紅色
12	H.A.S	Hi-Polish Anodized Silver	麻輪陽極本色
13	H.P.S	Hi-Polish Silver	麻輪本色
14	HS.A.S	Hi-Polish Satin Anodized Silver	麻輪霧面陽極本色
15	LS.A.S	Lathe Satin Anodized Silver	車削霧面陽極本色
16	L.A.S	Lathe Anodized Silver	車削陽極本色
17	L.A.BK	Lathe Anodized Black	車削陽極黑色
18	MABK	Machined Anodized Black	CNC 陽極黑色
19	MSBED	Matt Electric-Deposit Black	消光電著黑
20	SSBED	Sand Blast Satin Electric-Deposit Black	噴砂霧面電著黑色
21	P.C.BL	Powder Coating Blue	粉體烤漆藍色
22	P.C.RD	Powder Coating Red	粉體烤漆紅色
23	P.C.Y	Powder Coating Yellow	粉體烤漆黃色
24	RAW	Raw	毛胚
25	S.BED	Sand Blast Electric-Deposit Black	噴砂電著黑色
26	SS.A.BK	Sand Blast Satin Anodized Black	噴砂霧面陽極黑色
27	SS.A.S	Sand Blast Satin Anodized Silver	噴砂霧面陽極本色
28	HPP	High end Hi-Polish	鏡面拋光
29	HPPC	High-end Hi-Polish Clear Coating	鏡面拋光加金油
30	SSAG	Sand Blast Satin Anodized Grey	噴砂鐵灰色



UUR
www.uhuru.cn